

High-Risk COVID-19 Patients May Avoid Hospitalization with Monoclonal Antibody Treatment

Eligibility

Patients may be eligible for treatment with monoclonal antibodies if they have **experienced the onset** of mild to moderate symptoms of COVID-19 in the last 10 days, have tested positive for COVID-19, and have one or more of the following high-risk factors:

- Are ≥65 years of age
- Body mass index (BMI) ≥35
- Chronic kidney disease
- Diabetes
- Immunosuppressive disease
- Are currently receiving immunosuppressive treatment
- Are ≥55 years of age AND have
 - cardiovascular disease, OR
 - hypertension, OR
 - chronic obstructive pulmonary disease/other chronic respiratory disease

- Are 12 to 17 years of age AND have
 - BMI ≥85th percentile for their age and gender based on CDC growth charts, OR
 - Sickle cell disease, OR
 - congenital or acquired heart disease, OR
 - neurodevelopmental disorders, for example, cerebral palsy, OR
 - a medical-related technological dependence, for example, tracheostomy, gastrostomy, or positive pressure ventilation (not related to COVID-19), OR
 - asthma, reactive airway, or other chronic respiratory disease that requires daily medication for control



Early Action is Vital

Early testing, identification, and referral within 10 days of symptom onset are vital to access monoclonal antibody treatment.

How to Find Infusion Locations

Visit https://combatcovid.hhs.gov/hcp/resources

or call 1-877-332-6585 for English, or 1-877-366-0310 for Spanish. Contact the infusion location(s) to learn their referral procedures and whether they are accepting new patients.

For more information, visit

CombatCOVID.hhs.gov

Find infusion locations: English: 1-877-332-6585 \bullet Spanish: 1-877-366-0310



